



ROBINA FLOORING

For who want quality



CATALOGUE 2022/23

Quality Raw Materials • *makes quality products*

At ROBINA, Quality Consistency is our main priority. Hence, we utilize only the quality assured raw materials as commitment to excellent products.

- **HDF Core Board**
- **Overlay**
- **Decorative Paper**
- **Backer**

HDF Core Board

We are proud with our HDF core board, made from tropical hardwood species such as Meranti, Jelutong, Acacia and etc, which are rated as one of the best in global market in term of high dimensional stability and moisture resistance properties.

ROBINA HDF core board's swelling was tested in accordance to European Norm EN 13329 standard and is rated well < 18%.

Being environmentally responsible, ROBINA HDF is made only from wood waste materials such as off-cuts, peeler core, wood slabs where in the past, these waste materials had to be disposed off.



Reason to choose *Robina* flooring

Termite Resistant

Without any chemical treatment, ROBINA flooring comes naturally against termite attack.



Easy Installation

Popular among DIY market.
Just click the panel together.
No glue needed.



Tropical Hardwood Coreboard

In-house supply, well known by its extremely low thickness swelling & high moisture resistant.



Water Resistant

Vacuum Edge Protection System has set ROBINA Laminate Flooring standards towards superior and long term performance.





Welcome to Robina world

www.robinaflooring.com



-
- Quality raw materials 2
 - Reason to choose Robina flooring 3
 - Nature is all its Varieties 5
 - New Launching Basic Range 6
 - Our Collections 8
 - Robina Selection 9
-

NATURE *is all its Varieties*

ROBINA is a true master in reproducing nature in all its aspects & varieties. The structure are true to life and exceptionally innovative.

Deep Emboss • DE •



Elegant embossing with imprinted glossy lacquering effects to enhance the visual and the touch senses of the surface.

Silky Gloss • SG •



This innovative surface texture is to induce the combination of matt and gloss finishes simultaneously, exuding the best rustic and exotic features of the decor.




New Launching

Basic

Basic Range

Everything in life goes back to the basic. Blend well with classic aesthetics and functionality. Easy to install, robust and simple maintenance.



Product Specification

E1 laminate flooring

AC Rating : AC 3


Product Dimension :
196mm x 1288mm x 8mm

Surface Finishing :
Deep Emboss (DE)

Warranty :
5 years for heavy domestic
5 years for moderate commercial
use



RB 2100
Halden Oak



Basic Range

Simple & not complicated, that meets all basic expectation. It offers the best conceivable laminate flooring for every personal taste & requirement.



RB 1901
Empire Oak



RB 1902
Michelangelo Walnut



RB 1903
Nairo




RB 1904
Kronberg Oak



RB 1907
Natural Walnut



RB 2100
Halden Oak



RB 2101
Gante Oak



RB 2102
Roche Elm



RB 1903
Nairo

Our Collections



BASIC COLLECTION

Simple & Not Complicated

E1 Laminate Flooring • AC 3 • 196mm x 1288mm x 8mm • Deep Emboss (DE)

Warranty :

5 years for heavy domestic & 5 years for moderate commercial use



NATURE COLLECTION

All Time Favourite

E1 Laminate Flooring • AC 4 • 193mm x 1283mm x 8mm or 12mm • Deep Emboss (DE) or Silky Gloss (SG)

Warranty :

20 years for heavy domestic & 15 years for moderate commercial use



AVANT-GARDE COLLECTION

For Exotic & Unique Lifestyle

E1 Laminate Flooring • AC 4 • 193mm x 1283mm x 8mm • Silky Gloss (SG) • 4 Micro-V Groove

Warranty :

20 years for heavy domestic & 15 years for moderate commercial use



SLEEK COLLECTION


For Stylish & Extraordinary Lifestyle

E1 Laminate Flooring • AC 4 • 115mm x 1283mm x 12mm • Silky Gloss (SG) • 4 Micro-V Groove

Warranty :

25 years for heavy domestic & 20 years for moderate commercial use

Robina Selection



Robina Selection



O136 Prestige Oak



Page 44

O139 Waveless Oak



Page 18

O140 Elegante Oak



Page 31

O143 Victorian Oak



Page 30

O144 Glorious Oak



Page 16

O25 Elegance Oak



Page 17

O28 Harmonized Oak



Page 24

T12 Sumba Teak



Page 41

T13 Siam Teak



Page 33

T18 Malmo Teak



Page 22

T22 Sumatra Teak



Page 37

W12 Caramel Walnut



Page 38

W15 Yukon Walnut



Page 47

W18 Michelangelo Walnut



Page 48

W25 Classic Walnut



Page 51

TWS211 Bristol Oak



Page 32

TWS213 Roche Elm



Page 49

TWS215 Arosa Oak



Page 46

TWS217 Essence Oak



Page 27

TWS220 Syrup Oak



Page 14

TWS221 Calibre Oak



Page 15



O132 Elisabeth Oak

Thickness : 8mm
Texture : Silky Gloss
AC rating : AC 4
Dimension : 193 x 1283 x 8mm
Available :





O133 Cardiz Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :



Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O117 Whitewash Oak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :



Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





TWS220 Syrup Oak

Thickness : 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 12mm
 Available :





TWS221 Calibre Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :



Thickness : 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 12mm
 Available :





O144 Glorious Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :



Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O25 Elegance Oak

Thickness : 8mm
Texture : Deep Emboss
AC rating : AC 4
Dimension : 193 x 1283 x 8mm
Available :





O139 Waveless Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O131 Manet Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O125 Caloria Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :  



O135 Grey Waltham Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



T18 Malmo Teak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O134 Cottage Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 8mm & 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm & 115 x 1283 x 12mm
 Available :   &  



O28 Harmonized Oak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 12mm
 Available : 



AC21 Acacia 2-strip

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 12mm
 Available : 



O114 Mandarin Oak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





TWS217 Essence Oak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O118 Exotic Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O115 Modern Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O143 Victorian Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :  



O140 Elegante Oak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





TWS211 Bristol Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 


Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



T13 Siam Teak

Thickness : 8mm
Texture : Deep Emboss
AC rating : AC 4
Dimension : 193 x 1283 x 8mm
Available :





O112 Heritage Oak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





CA11 Canyon Pekan

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





O17 Alpine Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 


Thickness : 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 12mm
 Available : 



T22 Sumatra Teak

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :







W12 Caramel Walnut

Thickness : 8mm & 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm & 12mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



EL11 Posh Elm

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :






O121 Vespucci Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



T12 Sumba Teak

Thickness : 12mm
Texture : Silky Gloss
AC rating : AC 4
Dimension : 115 x 1283 x 12mm
Available :





CE21 Tropical Chengal

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





ME12 Classic Merbau

Thickness : 8mm & 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm & 12mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



O136 Prestige Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



O120 Millenium Oak

Thickness : 8mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



TWS215 Arosa Oak

Thickness : 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 12mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



W15 Yukon Walnut

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available : 

Thickness : 12mm
 Texture : Silky Gloss
 AC rating : AC 4
 Dimension : 115 x 1283 x 12mm
 Available :  



W18 Michelangelo Walnut

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





TWS213 Roche Elm

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :






AC22 Acacia - Chocolate

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :





W25 Classic Walnut

Thickness : 8mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 8mm
 Available :



Thickness : 12mm
 Texture : Deep Emboss
 AC rating : AC 4
 Dimension : 193 x 1283 x 12mm
 Available :





ROBINA FLOORING SDN. BHD. (515352-A)
(A member of AKIJ Group)

No 1, Jalan Industri 5, Taman Perindustrian Temerluh,
28400 Mentakab, Pahang Darul Makmur, Malaysia.

 +60 (0) 9 271 9000
 +60 (0) 9 271 9007
 info@robinaflooring.com



FOLLOW US

